

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1	"6583516".PN.	USPAT
2	BRS	L2	1926	257/773.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	11	L2 and (terminal or electrode) and insulating and (input or output or I/O) and fuse	US-PGPUB; USPAT; USOCR
4	BRS	L4	1536	257/786.ccls.	US-PGPUB; USPAT; USOCR
5	BRS	L5	15	L4 and (terminal or electrode) and insulating and (input or output or I/O) and fuse	US-PGPUB; USPAT; USOCR
6	BRS	L6	288	438/601.ccls.	US-PGPUB; USPAT; USOCR
7	BRS	L7	18	L6 and (terminal or electrode) and insulating and (input or output or I/O) and fuse	US-PGPUB; USPAT; USOCR
8					US-PGPUB; USPAT; USOCR
9					US-PGPUB; USPAT; USOCR
10					US-PGPUB; USPAT; USOCR
11					US-PGPUB; USPAT; USOCR
12	BRS	L12	1	"6838367".PN.	USPAT

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	1	"6372554".PN.	USPAT; USOCR
14	BRS	L14	1	"6100117".PN.	USPAT; USOCR
15	BRS	L15	1	"6078644".PN.	USPAT; USOCR
16	BRS	L16	1	"6057180".PN.	USPAT; USOCR
17	BRS	L17	1	"5972756".PN.	USPAT; USOCR
18	BRS	L18	1	"5891762".PN.	USPAT; USOCR
19	BRS	L19	1	"5888877".PN.	USPAT; USOCR
20	BRS	L20	1	"5696018".PN.	USPAT; USOCR
21	BRS	L21	1	"5696018".PN.	USPAT; USOCR
22	BRS	L22	1	"5608257".PN.	USPAT; USOCR
23	BRS	L23	1	"5364468".PN.	USPAT; USOCR
24	BRS	L24	1	"5189503".PN.	USPAT; USOCR
25	BRS	L25	1	"4628590".PN.	USPAT; USOCR
26	BRS	L26	1	"3957451".PN.	USPAT; USOCR
27	BRS	L27	1041	(terminal or electrode) and insulating and (input or output or I/O) and fuse and probe	US-PGPUB; USPAT; USOCR
28	BRS	L28	473	L27 and pad	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
29	BRS	L29	460	L28 and first and second	US-PGPUB; USPAT; USOCR
30	BRS	L30	1	"6043109".PN.	USPAT; USOCR
31	BRS	L31	1	"5323051".PN.	USPAT; USOCR